


# Comment décoder les messages illisibles reçus via Spammotel ?

- Solution 1 (utilisable par tout le monde) ..... 1
- Solution 2 (avec Thunderbird Header Tools Extension) ..... 3

NOTA: inspirez vous des deux exemples donnés ici pour déterminer quelles sont les parties à supprimer (surlignées en jaune), qui peuvent varier selon le contenu de vos mails.

## Solution 1 (utilisable par tout le monde)

Exemple de message reçu:



- 1) Afficher le code source du message, et l'enregistrer dans un fichier texte (dans Thunderbird: Affichage > Code source du message).
- 2) Supprimer de ce fichier texte tous les caractères liés à l'en-tête de Spammotel (surlignés en jaune ci-dessous):

```
From - Tue Dec 11 13:45:32 2007
X-Account-Key: account6
X-UIDL: 16627
X-Mozilla-Status: 0001
X-Mozilla-Status2: 00000000
X-Mozilla-Keys:
Return-Path: <re.XR52C3RNFG63O@spammotel.com>
Received: from spammotel.com (209.190.47.10) by mail.libertysurf.net (7.1.026)
    id 474AE700012D29E4 for monnom@nospam.fr; Tue, 11 Dec 2007 13:39:26 +0100
Received: from hawk.computerwizards.com (smmsp@localhost [127.0.0.1])
    by spammotel.com (8.13.8/8.13.8/Debian-3) with ESMTPE id LBBCdP8t030629
    for <monnom@nospam.fr>; Tue, 11 Dec 2007 07:39:25 -0500
Received: (from root@localhost)
    by hawk.computerwizards.com (8.13.8/8.13.8/Submit) id LBBCdOIs030342
    for monnom@nospam.fr; Tue, 11 Dec 2007 07:39:24 -0500
Old-Return-Path: <eismail+796983@event.com.hk>
Received: from event.com.hk ([203.86.167.7])
    by spammotel.com (8.13.8/8.13.8/Debian-3) with ESMTPE id LBBCBVF0025140
    for <XYZXYZXYZ@spammotel.com>; Tue, 11 Dec 2007 07:11:34 -0500
Date: Tue, 11 Dec 2007 07:11:34 -0500
Message-Id: <200712111211.LBCCBVF0025140@spammotel.com>
```



EditGrid Newsletter (Issue No. 12)

-----  
Highlights this Month:

I.) EditGrid News

II.) Release Updates

-----  
I.) EditGrid News

EditGrid, the most popular spreadsheet behind Google  
<http://blog.editgrid.com/archives/365>

EditGrid awarded the Merit Award at APICTA 2007 in Singapore  
<http://blog.editgrid.com/archives/358>

Become an EditGrid fan in Facebook  
<http://blog.editgrid.com/archives/351>

EditGrid Blog redesigned  
<http://Blog.editgrid.com>

II.) Release updates

We were quite busy fixing bugs this month, but did manage to get some new features and improvements in this release.

Newly added features:

- \* JSONP support
- \* Justified text alignment in cells
- \* Hyperlink enhancements
- \* Advertise on your spreadsheet with Image URL

Enhancements:

- \* Ability to specify column width/row height

Please visit our Chang Log <http://www.editgrid.com/changelog/> for details and complete list of features, enhancements and bug fixes. If you've got questions on how any of the new features work, don't hesitate to send us an email at [cs@bidonspam.com](mailto:cs@bidonspam.com).

Likewise, if you would like to voice out your feedback, suggestions or issues, send them to [cs@bidonspam.com](mailto:cs@bidonspam.com) or visit the forum at <http://forum.editgrid.com>. We'd love to hear what our users are saying.

David Lee, co-founder of EditGrid, is in New York City now until Thursday, December 13th, 2007. For all the users in NYC who'd like to talk spreadsheets with him or simply want to wish him a happy holiday in person, you can find him by emailing him at [david@bidonspam.com](mailto:david@bidonspam.com).

Lastly, the holiday season is upon us again, which means 2007 is coming to a close and it has been a fun and eventful year for EditGrid and we hope your experience with us has also been the same. Keep your eyes open and look for better things to come from us in 2008.

EditGrid wishes everyone happy holidays!

Thanks again for supporting EditGrid and see you in 2008.

The EditGrid Team


-----  
You are receiving this newsletter because you have chosen to receive updates from us.

If you wish to unsubscribe our newsletter subscription, please reply to this email with the subject "unsubscribe".


## ***Solution 2 (avec Thunderbird Header Tools Extension)***

Cette extension permet non seulement de modifier les en-têtes des emails, mais aussi d'éditer et de modifier le contenu des emails.


Exemple de message reçu:



1) Clic droit sur le sujet du message dans TB, puis "Change Header Details" (Nota: dans Thunderbird 3: sélectionner le message par clic gauche sur le sujet du message dans TB, puis menu Messages > Change Header Details).



2) Cliquer sur "Edit Full Source":



3) Supprimer tous les caractères liés à l'en-tête de Spammotel (surlignés en jaune ci-dessous):

```

From dummy@dummy Sun Jul 11 00:00:00 1999
X-Account-Key: account6
X-UIDL: 18584
X-Mozilla-Status: 0000
X-Mozilla-Status2: 00000000
X-Mozilla-Keys:
Return-Path: <re.0ZI2XR9049GAD@spammotel.com>
Received: from spammotel.com (209.190.47.10) by mail.libertysurf.net (7.1.026)
    id 4790824B00FA790D for monnom@nospam.fr; Wed, 30 Jan 2008 15:32:14 +0100
Received: from hawk.computerwizards.com (smmsp@localhost [127.0.0.1])
    by spammotel.com (8.13.8/8.13.8/Debian-3) with ESMTMP id m0UEWCpl005316
    for <monnom@nospam.fr>; Wed, 30 Jan 2008 09:32:12 -0500
Received: (from root@localhost)
    by hawk.computerwizards.com (8.13.8/8.13.8/Submit) id m0UEWCs9005186
    for monnom@nospam.fr; Wed, 30 Jan 2008 09:32:12 -0500
Old-Return-Path: <apache@alapage.com>
Received: from front.alapage.com (front.alapage.com [193.253.149.24])
    by spammotel.com (8.13.8/8.13.8/Debian-3) with ESMTMP id m0U0daKs002264
    for <nimportequoi@spammotel.com>; Tue, 29 Jan 2008 19:39:38 -0500
Received: by localhost (Postfix, from userid 48)
    id 5A3DD1F9E6; Wed, 30 Jan 2008 01:39:29 +0100 (CET)
To: Moi <nimportequoi@spammotel.com>
Old-Subject: Récapitulatif de votre commande N° 10702748
From: contact@alapage.com
MIME-Version: 1.0
Content-Type: multipart/mixed;
    boundary="-----_001"
Message-Id: <20080130003929.5A3DD1F9E6@localhost>
Date: Wed, 30 Jan 2008 01:39:29 +0100 (CET)
Subject: **Fwd: Récapitulatif de votre commande N° 10702748
Reply-To: <re.0ZI2XR9049GAD@spammotel.com>

```

This is a multi-part message in MIME format.

```

-----_001
Content-Type: multipart/related;
    boundary="-----_002"

```

```

-----_002
Content-Type: multipart/alternative;
    boundary="-----_003"

```

```

-----_003
Content-Type: text/plain; charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

```

```

-----Forwarded by SpamMotel-----
-----

```

```

--from contact@alapage.com--
--reply contact@alapage.com--

```

```

Spam Motel address created on 2004-12-04 10:20:03
This Message received on Wed Jan 30 09:32:11 EST 2008
Last Message received on 2007-06-05 16:35:23

```

```

No. 55 Messages Forwarded: 5 Messages Received: 5

```

```

*** alapage ***

```

--nimportequoi@spammotel.com--

HTML only!

-----\_003

Content-Type: text/html; charset="iso-8859-1"  
Content-Transfer-Encoding: base64

```
<!This Banner Added By SpamMotel>
<DIV>
<TABLE WIDTH="510" BGCOLOR="#FFFFFF" BORDER="0" CELLPADDING="0" CELLSPACING="0">
<COLGROUP span="2" WIDTH="255"></COLGROUP><TR>
<TD VALIGN="middle" colspan="2" HEIGHT="130" ALIGN="CENTER">
<IMG SRC="http://spammotel.com/spammotel/images/bannertop.gif" HEIGHT="129" WIDTH="507" BORDER="0"
ALT="Forwarded by SpamMotel">
</TD></TR><TR>
<TD colspan="2" ALIGN="RIGHT"><font size=2 color="#000000">--from <font
color="#0000FF">contact@alapage.com</font>-- &nbsp;</font>
<br><font size=2 color="#000000">--reply <font color="#0000FF">contact@alapage.com</font>--
&nbsp;</font>
</TD></TR><TR>
<TD colspan="2" HEIGHT="20"><IMG SRC="http://spammotel.com/spammotel/images/blank.gif" HEIGHT="20"
BORDER="0" ALT="SpamSpacer">
</TD></TR><TR>
<TD ALIGN="LEFT" colspan="2"><font size=2 color="#000000">&nbsp;  Spam Motel address created on
2004-12-04 10:20:03<br>
&nbsp;  This Message received on Wed Jan 30 09:32:11 EST 2008<br>
&nbsp;  Last Message received on 2007-06-05 16:35:23
</TD></TR><TR>
<TD colspan="2" HEIGHT="20"><IMG SRC="http://spammotel.com/spammotel/images/blank.gif" HEIGHT="20"
BORDER="0" ALT="SpamSpacer">
</TD></TR><TR>
<TD ALIGN="LEFT" colspan="2" ALIGN="CENTER"><font size=2 color="#000000"> &nbsp;  No. 55 &nbsp;  &nbsp; 
Messages Forwarded: 5 &nbsp;  &nbsp;  Messages Received: 5</font>
</TD></TR><TR>
<TD colspan="2" HEIGHT="20"><IMG SRC="http://spammotel.com/spammotel/images/blank.gif" HEIGHT="20"
BORDER="0" ALT="SpamSpacer">
</TD></TR><TR>
<TD colspan="2" ALIGN="CENTER"><font size=2 color="#000000">*** <font color="#0000FF">
alapage</font> ***</font>
</TD></TR><TR>
<TD colspan="2" HEIGHT="20"><IMG SRC="http://spammotel.com/spammotel/images/blank.gif" HEIGHT="20"
BORDER="0" ALT="SpamSpacer">
</TD></TR><TR>
<TD ALIGN="LEFT">&nbsp;</TD>
<TD ALIGN="RIGHT"><font size=2 color="#000000">--<font
color="#0000FF">nimportequoi@spammotel.com</font>-- &nbsp;</font>
</TD></TR><TR>
<TD VALIGN="middle" HEIGHT="20" colspan="2" ALIGN="CENTER" ><IMG
SRC="http://spammotel.com/spammotel/images/bannerbottom.gif" HEIGHT="26" WIDTH="500" BORDER="0"
ALT="End of SpamMotel Banner">
</TD></TR></TABLE>
</DIV>
<!End Banner Added By SpamMotel>
```

```
DQo8IURPQ1RZUEUgSFRNTCBQVUJMSUMGiI0vL1czQy8vRFREIEhUTUwgNC4wMSBGcmFtZXNldC8v
RU4iICJodHRwOi8vd3d3LnczLm9yZy9UUio9odGlsNC9mcmFtZXNldC5kdGQiPg0KPGh0bWw+DQo8
aGVhZD4NCgk8dG10bGU+QWxhcGFnZS5jb20gLSBwb3RyZSBjb21tYW5kZSAtIFBhaWVtZW50PC90
aXRzZT4NCiAgICA8bWV0YSBodHRwLWVxdWl2PSJjb250ZW50LXR5cGUiIGNvbnRlbnQ9InRleHQv
aHRtbDsgY2hhcnNldDlpc28tODg1OS0xIiAvPg0KDQo8L2hlYWQ+DQo8Ym9keSBzdHlsZT0iZm9u
..... j'en ai coupé un peu, ce n'est pas passionnant! ....
eCAZcHggMHB4OyI+PGEgc3R5bGU9ImNvbG9yOim1MjVFNjk7IiBocmVmPSIvLS9tZWxlY3Rpb25P
Y2Nhc2lvbi8/dHlwZT1QRE0mcmVmPWhvbWUmcG9zPTEmaWQ9MjY0NTEyMDE0ImZG9ubmVl
X2FwcGVsPUNMSUJJIj5PY2Nhc2lvbnM8L2E+PC9saT4KCTvwdWw+CjwvZG12Pg0KDQo8L2Rpdj4N
CjwhLS0gLSBhZ2UgLS0+DQo8L2NlbnRlcj4NCjwvYm9keT4NCjwvaHRtbD4NCg==
```

-----\_003--

-----\_002--

-----\_001--

3) et hop, c'est fini:

